

See Equipment Specifications following tables**LEVEL 3 – Outright Purchase****Annual Maintenance and preventive care year 1 - included.****Rate Change 3 years – included****Meter Resets 3 years – included****Meter Rental Year 1 – included. Year 2 and Year 3**

PITNEY BOWES			45 pieces per minute
TAC	\$4,464.00	Machine	DM225 w/5lb scale
Yr. 2 maint.=M2	\$183.80	Meter	1W00
Yr.3 maint.=M3	\$183.80	Std. No. Accounts	25
Meter Rental 3 yrs=RM3 Yr. 1 no charge- Yr.2 & 3 billed at \$45 per month	\$1,080.		
36 Month Total	\$5,911.60		

SCALE OPTIONS	Equipment Purchase	Annual Maint. Yr. 2 & Yr. 3
DM225 - with 10Lb	\$4,704	\$184
DM225- with 30Lb	\$5,760	\$262
DM225- with 70LB	\$6,000	\$303

LEVEL 3 – 36 Month Rental – All Included

PITNEY BOWES			45 pieces per minute
36RNTL	\$6,984.00	Machine	DM225 w/5lb scale
Meter Rental 3 yrs=RM3 Included in total.	\$0.000000	Meter	1W00
\$194/Month 36 Month Total	\$6,984.00	Std. No. Accounts	25

SCALE OPTIONS	Total 36- Month Rental/month
DM225 - with 10Lb	\$203
DM225- with 30Lb	\$243
DM225- with 70LB	\$254

See Level 3 Specification below for optional maximum accounts and costs:

1. Outright Purchase:

$$LCC = TAC + M2 + M3 + R3 + 36MR + RM3$$

TAC = total acquisition cost including one year warranty (less meter rental).

M2 = full service maintenance cost including preventive maintenance for year two,

M3 = full service maintenance cost including preventive maintenance for year three,

R3 = rate change insurance for a three year period,

36MR = meter reset cost for 36 resets at a rate of one per month,

RM3 = rental of postage meter for a three year period,

The date of installation acceptance shall be used as the beginning for the time periods referenced.

2. 36 Month Rental:

$$LCC = 36RNTL + R3 + 36MR + RM3$$

36RNTL = total 36 month rental cost (less meter rental).

R3 = rate change insurance for a three year period,

36MR = meter reset cost for 36 resets at a rate of one per month,

RM3 = rental of postage meter for a three year period,

The date of installation acceptance shall be used as the beginning for the time periods referenced.

1. All mail over 13 ounces zone rated by delivery zip code (Zip to Zone Conversion) as required by the USPS®.
2. All mail processing systems and accessories meeting the energy saving guidelines of Energy Star.

D. Level 3 System:1. Mailing Machine: **DM225 w/5LB Scale**

- a. with the capability provided for processing at least a single rate minimum of 35 pieces of letter and post card, like-weight, minimum thickness, mail per minute, with letter and post card mail sizes:

Letter Mail Dimensions

Dimension	Minimum	Maximum
Height	3-1/2 inches	6-1/8 inches
Length 5 inches		11-1/2 inches
Thickness	0.007 inch	1/4 inch

Post Card Mail Dimensions

Dimension	Minimum	Maximum
Height	3-1/2 inches	4-1/4 inches
Length 5 inches		6 inches
Thickness	0.007 inch	0.016 inch

as defined in USPS® Publication 25, 2003, with processing defined as the feeding, sealing, metering, imprinting, and stacking,

Actual processing rate: 45 pieces per minute

- b. with other mail piece processing, not under the processing speed requirements, with a thickness of 3/8 inch and less, and 10 inches by 13 inches and less in size, with the flap on the long edge of the envelope, (this calls for a wide deck type feeder, with this feeder wide enough to allow mail pieces to flow through the machine without the operator having to push the mail pieces to keep them in line),
- c. with the mailing machine interconnected with an electronic type postage meter,
- d. with a non-power type table top stacker,

- e. with wet/dry or pressure sensitive tape, with the pressure sensitive tape having a grab type tab for ease of tape separation during manual application operation,
 - f. with the mail processing system electronically interfaced with the postage scale and postage meter,
 - g. with the capability provided for checking the postage meter date prior to postage printing,
 - h. with a water envelope sealing system to provide for an even moist seal, with an easy fill reservoir, with this feature for letter mail of 3/8 inch and less in thickness and 10 inch by 13 inch and less in size,
 - i. with the following modes of operation for letter mail of 3/8 inch and less in thickness:
 - 1) envelope nested or un-nested (only one required),
 - 2) envelope sealed,
 - 3) envelope unsealed,
 - 4) seal only,
2. Weighing System: **5 lb scale**
- a. with the capability of handling USPS® and UPS,
 - b. and with a postage scale:
 - 1) with a minimum capacity of at least two pounds,
 - 2) with an accuracy of within 0.1 ounce of the true value, with weight increments of 0.5 ounce between 0 and 49 pounds, and 1.0 ounce above 49 pounds,
 - 3) with weight displayed as a digital readout,
 - 4) and other size scales may be offered as options to the contract, with these other sizes able to connect with the system offered,
3. Rental of Postage Meter:
- a. with the capability provided of meter reset over a standard analog or digital central office (CO) telephone line,
 - b. with other optional reset communications methods offered as options to the standard CO line method, so long as any other methods are allowed by the USPS®,
 - c. with a display for indicating the amount left on the meter, which may be provided as the amount used instead of the amount left on the meter,
4. Accounting System:
- a. Number of accounts incl. standard with system: **25**
 - b. Optional maximum accounts number available: **300**
 - c. Additional price for optional accounts tracking: \$_____
 - d. Comments: Multiple Options for 300-Dept; Internal to Machine of Web Based; Request quote